## Amendments to the Claims

Claims 1-37 (Cancelled).

38. (Currently amended) A capacitor comprising a pair of capacitor electrodes having capacitor dielectric material therebetween comprising a composite of two immediately juxtaposed and contacting, yet discrete, layers of the <u>identical</u> capacitor dielectric composition selected from the group consisting of a <del>barium strontium titanate</del>, a strontium titanate, a strontium bismuth titanate, a lead lanthanate zirconia titanate, Ta<sub>2</sub>O<sub>5</sub>, and mixtures thereof, both of the discrete layers being crystalline, and comprising an interface where the discrete layers contact which is characterized by a perceptible change in crystallinity from one layer to the other, the perceptible change in crystallinity being characterized by a perceptible interface line between the two discrete layers and a perceptible lateral shift in grain boundaries from the one layer to the other.

Claims 39-41. (Cancelled)

- 42. (Currently amended) The capacitor of claim 38 wherein the <u>identical</u> same capacitor dielectric composition <del>material</del> comprises a titanate compound.
- 43. (Currently amended) The capacitor of claim 38 wherein the same identical capacitor dielectric composition material comprises Ta<sub>2</sub>O<sub>5</sub>.

Claims 44-45 (Cancelled).

- 46. (Currently amended) The capacitor of claim 38 constituting an entire capacitor dielectric region between the pair of capacitor electrodes, the entire capacitor dielectric region consisting essentially of the composite of the two immediately juxtaposed and contacting, yet discrete, layers of the <u>identical</u> same capacitor dielectric composition material.
- 47. (Currently amended) The capacitor of claim 42 constituting an entire capacitor dielectric region between the pair of capacitor electrodes, the entire capacitor dielectric region consisting essentially of the composite of the two immediately juxtaposed and contacting, yet discrete, layers of the <u>identical</u> same capacitor dielectric <u>composition</u> material.
- 48. (Currently amended) The capacitor of claim 43 constituting an entire capacitor dielectric region between the pair of capacitor electrodes, the entire capacitor dielectric region consisting essentially of the composite of the two immediately juxtaposed and contacting, yet discrete, layers of the <u>identical</u> same capacitor dielectric <u>composition</u> material.
- 49. (Previously presented) The capacitor of claim 38 wherein at least one of the electrodes predominately comprises a material selected from the group consisting of TiN<sub>x</sub>, WN<sub>x</sub>, TaN<sub>x</sub>, PtRh<sub>x</sub>, PtRu<sub>x</sub>, PtIr<sub>x</sub>, and mixtures thereof.

Appl. No. 09/428,125

50. (Currently amended) The capacitor of claim 49 constituting an entire

capacitor dielectric region between the pair of capacitor electrodes, the entire

capacitor dielectric region consisting essentially of the composite of the two

immediately juxtaposed and contacting, yet discrete, layers of the identical same

capacitor dielectric composition material.

51. (Previously presented) The capacitor of claim 38 wherein one of the

two layers has a thickness of from 10% to 90% of a combined thickness of the two

layers.

52. (Currently amended) The capacitor of claim 51 constituting an entire

3:

1

capacitor dielectric region between the pair of capacitor electrodes, the entire

capacitor dielectric region consisting essentially of the composite of the two

immediately juxtaposed and contacting, yet discrete, layers of the identical same

capacitor dielectric material.

53. (Previously presented) The capacitor of claim 51 wherein at least one

of the electrodes predominately comprises a material selected from the group

consisting of TiN<sub>x</sub>, WN<sub>x</sub>, TaN<sub>x</sub>, PtRh<sub>x</sub>, PtRu<sub>x</sub>, PtIr<sub>x</sub>, and mixtures thereof.

Claims 54-55.

(Cancelled)

56. (New) A capacitor comprising:

a first capacitor electrode;

a capacitor dielectric layer over the first capacitor electrode, the capacitor dielectric layer having a lower portion comprising a barium strontium titanate composition and an upper portion comprising a barium strontium titanate composition identical to the lower portion, the lower and upper portions being immediately juxtaposed, the upper portion having perceptible change in crystallinity relative to the lower portion characterized by a perceptible interface line between the two discrete portions and a perceptible lateral shift in grain boundaries across the interface; and

a second capacitor electrode over the capacitor dielectric layer.

- 57. (New) The capacitor of claim 56 wherein each of the upper and lower portions further comprise one or more materials selected from the group consisting of strontium titanate, strontium bismuth titanate, lead lanthanate zirconia titanate,  $Ta_2O_5$ , and mixtures thereof
- 58. (New) The capacitor of claim 56 constituting an entire capacitor dielectric region between the first and second capacitor electrodes, the entire capacitor dielectric region consisting essentially of the upper and lower portions of the dielectric layer.

59. (New) The capacitor of claim 56 wherein at least one of the electrodes predominately comprises a material selected from the group consisting of TiN<sub>x</sub>, WN<sub>x</sub>, TaN<sub>x</sub>, PtRh<sub>x</sub>, PtRu<sub>x</sub>, PtIr<sub>x</sub>, and mixtures thereof.